Claims

What is claimed is:

An apparatus comprising:

 an indicator for indicating the optimal position and orientation for holding a
 device; and

a means for affixing the indicator to the device.

- 2. The apparatus of claim 1 wherein the indicator is shaped as one or more human hands.
- 3. The apparatus of claim 2 wherein the human hands are a right human hand and a left human hand.
- 4. The apparatus of claim 1 wherein the indicator is made of a material that is visible in the absence of an external light source.
- 5. The apparatus of claim 1 wherein the means for affixing the indicator to the device is an adhesive on the indicator.
- 6. The apparatus of claim 1 wherein the means for affixing the indicator to the device comprises Velcro on the indicator and corresponding Velcro on the device.
- 7. The apparatus of claim 1 wherein the device is a medical walker.

- A method comprising:
 determining an optimal position and orientation for holding a device; and
 affixing an indicator to the device to indicate the optimal position and orientation.
- 9. The method of claim 8 wherein the indicator is shaped as one or more human hands.
- 10. The method of claim 9 wherein the human hands are a right human hand and a left human hand.
- 11. The method of claim 8 wherein the indicator is made of a material that is visible in the absence of an external light source.
- 12. The method of claim 8 wherein affixing the indicator to the device is effected through an adhesive on the indicator.
- 13. The method of claim 8 wherein affixing the indicator to the device is effected through Velcro on the indicator and corresponding Velcro on the device.
- 14. The method of claim 8 wherein the device is a medical walker.

- 15. The method of claim 1 wherein the optimal position and orientation for holding the device is determined by a manufacturer of the device.
- 16. The method of claim 1 wherein the optimal position and orientation for holding the device is determined for a specific user of the device.
- 17. The method of claim 14 wherein the optimal position and orientation for holding the medical walker is determined by a medical professional.